

**MIDO<sup>®</sup>**  
**COATINGS**  
SINCE 1979

# MIDO PRODUCTS

[EXPORT@MIDOCOATINGS.COM](mailto:EXPORT@MIDOCOATINGS.COM)  
[CONTACT@MIDOCOATINGS.COM](mailto:CONTACT@MIDOCOATINGS.COM)  
[WWW.MIDOCOATINGS.COM](http://WWW.MIDOCOATINGS.COM)





INTERNATIONAL GROUP FOR MODERN COATINGS

***AUTOMOTIVE  
CAR REFINISH***

- POLYESTER PUTTY
- NITROCELLULOSE PUTTY
- FILLERS
- CAR REFINISH
- POLISH CAR CARE

***FINISHING  
WOOD***

- TRANSPARENT SYSTEM
- PIGMENTED SYSTEM

***INDUSTRIAL  
&  
DECORATIVE***

- UNIVERSAL COLORANTS
- PROTECTIVE PAINTS
- INDUSTRIAL PAINTS
- SYNTHETIC PAINTS

# AUTOREFINISH



# POLYESTER PUTTY BODY FILLER

PREMIUM HEAVY PUTTY

LIGHT WEIGHT PUTTY

MUTIFUNCTION PUTTY

SEMI LIGHT BODY FILLER

ELASTIC PUTTY

AUTOSTUCK

RAGE ( ULTRA LIGHT )

FIBER PUTTY

ALUMINIUM PUTTY

DUETTO POLYESTER PUTTY

SPOT PUTTY

PARAFLEX





## **POLYESTER PUTTY BODY FILLER THEORY**

- THE POLYESTER PUTTY IS THE MOST EFFECTIVE STAGE FOR BUILDING A STRONG AUTOMOTIVE PAINT SYSTEM.
- MIDO IS THE LEADING COMPANY IN THE MIDDLE EAST IN PRODUCTION OF POLYESTER PUTTIES .

# ***POLYESTER PUTTY BODY FILLER***

## **PREMIUM HEAVY PUTTY**

- FINE HEAVY WEIGHT POLYESTER PUTTY .
- MAXIMUM FILLING PROPERTIES.
- EXCELLENT SPREADING .
- FAST CURING .
- SUPERIOR ADHESION .
- VERY EASY SANDING .



## **POLYESTER PUTTY**

- POLYESTER PUTTY WITH STANDARD PROPERTIES OF DRYING TIME, FILLING, SANDING AND ADHESION.
- PERFECT FILLING.
- VERY EASY SANDING.
- QUICK DRYING.



# ***POLYESTER PUTTY BODY FILLER***

## **LIGHT WEIGHT PUTTY**

- POLYESTER PUTTY WITH A LIGHT SPECIFIC WEIGHT .
- VERY EASY SANDING .
- VERY GOOD ADHESION .
- SUPERIOR FILLING WITH MENIMUM WEIGHT ON SURFACE .



## **SEMI LIGHT WEIGHT PUTTY**

- POLYESTER PUTTY WITH A MEDIUM SPECIFIC WEIGHT .
- VERY GOOD FILLING .
- VERY GOOD SANDING .
- AFFORDABLE PRICE .



# ***POLYESTER PUTTY BODY FILLER***

## **FIBER PUTTY**

- POLYESTER PUTTY REIN-FORCED WITH FIBER GLASS STRANDS .
- BRIDGING AND FILLING OF CAVITIES ON VEHICLES SURFACES .
- SECURING A VERY GOOD FILLING WITHOUT CHANCE FOR CRACKING .



## **ALUMINIUM PUTTY**

- POLYESTER-BASED PUTTY WHICH CONTAINS FINE ALUMINUM FLAKES PROVIDING INCREASED FILM THICKNESS. IT CAN BE USED OVER BARE STEEL, GALVANIZED STEEL, ALUMINUM AND GLASS FIBER REINFORCED PLASTIC (GRP) FOR FILLING OF IRREGULARITIES AND CAVITIES



# **1K LAB METAL**

## **MIDO LAB METAL**

- 1K PUTTY USED IN FOUNDRY, CORE BOXES, DUCT, WORK RADIATORS, MOLDS MUFFLERS, EXHAUST SYSTEMS, ENGINES, ETC.
- READY TO USE AND PATCH COMPOUND RECOMMENDED FOR USE UNDER COATINGS REQUIRING HIGH PROCESS TEMPERATURE.
- ESPECIALLY FOR POWDER COATING.
- HEAT RESISTANCE -40° TO 450° F.
- EXCELLENT ADHESION TO PRETREATED CRS. ALUMINUM, INCLUDING ZINC PLATING.
- CAN BE MILLED, SAWED, DRILLED, TAPPED, SANDED, FILED.



# ***POLYESTER PUTTY BODY FILLER***

## **RAGE ( ULTRA-LIGHT)**

- UN SATURATED POLYESTER PUTTY WITH VERY LOW DENSITY APPROX. 1, EXTRA CREAMY FOR EASY MIXING & APPLICATION.
- UNIVERSAL, ULTRALIGHT POLYESTER PUTTY.
- GOOD ADHESION TO A VARIETY OF SUBSTRATES SUCH AS STEEL, E-COAT, GALVANIZED STEEL.
- ULTRALIGHT FOR EASIER AND FASTER SANDING & FINER FINISHING.
- NO PINHOLES.



# ***POLYESTER PUTTY BODY FILLER***

## **DUETTO POLYESTER PUTTY**

- A TWO-COMPONENT, FIBER-REINFORCED POLYESTER PUTTY USED TO FILL VOIDS AND TREAT FRACTURES AND CRACKS IN FIBER PARTS FOUND IN CARS AND YACHTS SPECIAL FORMULA TO REPAIR METAL AND FIBER PARTS.
- HIGH HARDNESS AND GOOD ADHESION.
- HIGH-FILLING ABILITY.
- EXCELLENT SAND ABILITY.



# ***POLYESTER PUTTY BODY FILLER***

## **ELASTIC PUTTY**

- VERY ELASTIC POLYESTER PUTTY .
- SPECIALLY FORMULATED FOR THE PLASTIC PARTS OF THE VEHICLES .
- GOOD ADHESION TO PLASTIC .
- GOOD FLEXIBILITY .



# ***POLYESTER PUTTY BODY FILLER***

## **SPOT PUTTY**

- IT IS ULTRA-SMOOTH TWO COMPONENT POLYESTER PUTTY USE IT FOR FILLING PINHOLES IN BODY FILLER AS WELL AS FOR COVERING MINOR SAND SCRATCHES, AND MORE ON METAL, FIBERGLASS AND WOOD AS WELL AS SANDED AND PRIMED OR SANDED AND PAINTED SURFACES.
- VERY FINE SURFACE.
- FAST DRYING.
- EASY SANDING.
- FILL SMALL PINHOLES AND POROUS ON PUTTY AND FILLER 2K SURFACES.



# PRIMER PUTTY

## EXTRA PROTECTION

- PRIMER PAINT WITH EXCELLENT RESISTANCE TO CORROSION, RUST, FRICTION AND SHOCK ABSORPTION OF SMALL PEBBLES
- UNDER BODY.
- ANTI-RUST.
- PRIMER.



## HIGH VISCOSITY UNDERBODY

- HIGH BUILD THIXOTROPIC MATERIAL.
- ABLE TO DILUTED WITH NC THINNER.
- GIVING GOOD PROTECTION AGAINST RUST AND STONE CHIP.
- CAN BE APPLIED BY BRUSH OR SPRAY GUN.
- NOT CONTAINING BITUMEN.



## ***EXCELLENT RUST AND STONE CHIP PROTECTION***

### **READY MIX**

- LOW VISCOSITY MATERIAL READY FOR APPLICATION.
- PERMANENTLY ELASTIC .
- VERY GOOD ADHESION .
- EXCELLENT RUST AND STONE CHIP PROTECTION.

### **WATER BASED**

- READY TO USE, DESIGNED TO PROTECT CAR UNDERBODY FROM STONE CHIPPING AND RUST.
- NOISE RESISTANT, SEVERE WEATHER CONDITION



# ***AUTOMOTIVE COATING***

## **NITRO CELLULOSE PUTTY**

NC PUTTY SIK

NC PUTTY



## **FILLERS**

FAST FILLER 1K

2K FILLER

HS 2K FILLER






# ***NITRO CELLULOSE PUTTY FILLERS THEORY***

## **FUNCTION**

- FILLING PORES
- TREAT PE PUTTY IRREGULARITIES
- ANTICORROSION PROPERTIES

## **MIDO ADVANTAGES**

- EASY TO USE
- HAS AN EXCELLENT FILLING PROPERTY
- FAST DRYING
- EASY SANDING
- RAPID FLASH OFF TIMES



## ***FAST FILLER 1K***

### **FAST FILLER 1K**

- RECOMENDED TO USE UNDER 1K TOP FINE GRAIN .



## ***2K FILLER***

### **2K FILLER**

- EXCEPTIONALLY SMOOTH AND HARD FINISH.
- IDEAL FOR COLORS THAT HAVE REAL RISK TO MARK THE PRIMER FILLER.
- WORK WITH UNIVERSAL HARDENER .
- COMPELETLY DRYING AFTER 4 HOURS.



# ***HS 2K FILLER ( 5:1 )***

## **HS 2K FILLER**

- THIS PRODUCT IS VOC COMPLIANT.
- HAS HIGH SOLID CONTENT, UP TO 100 PU PER COAT.
- GUARANTEES A SUPERIOR PERFORMANCE IN ALL WATER-BORN PAINT PROCESS.
- ANTICORROSIVE PIGMENTATION.
- COMPLETELY DRYING AFTER 3 HOURS.



# ***NITROCELLULOSE PUTTY***

## **PREMIUM**

### **NC PUTTY SIK (KOMBI)**

- GREAT FINISH DUE TO ITS EXTRA FINE GRAIN .
- HIGH VISCOCITY WITH HIGHER APPLICATION PERFORMANCE.
- PROVIDE GOOD ADHESION ON STEEL .



### **NC PUTTY**

- HIGH APPLICATION PERFORMANCE.
- LOW VISCOCITY.
- MAINTAINS ITS PROPERTIES EVEN AT LOW TEMPRETURES.



# PAINTS

# ***MIDOMIX ACRYLIC***

## **MIDO MIX A (ACRYLIC COAT)**

- IT IS A TWO-COMPONENT ACRYLIC PAINT FOR CARS AND INDUSTRIAL PURPOSES. IT IS COMPOSED OF SPECIAL TYPE OF ACRYLIC RESIN TO OBTAIN SUPERIOR HARDNESS AND GLOSS. MIDO ACRYLIC SPECIAL PIGMENT PROVIDES MAXIMUM WEATHERING AND SCRATCHING RESISTANCE AS WELL AS COLOR RETENTION.



## **RECOMMENDED USE:**

-IT IS SUITABLE FOR METAL AND VEHICLE SURFACES WHICH ARE PAINTED USING COMPUTER TINTING SYSTEM.

# ***MIDO MIX (BASECOAT)***

## **MIDO MIX B (BASECOAT)**

- IT IS A HIGH-QUALITY PAINT, ESPECIALLY FORMULATED TO REPAINT PRIVATE CARS, VEHICLES, AND EQUIPMENTS. IT PROVIDES MAXIMUM WEATHERING AND SCRATCHING RESISTANCE AS WELL AS COLOR RETENTION AND ATTRACTIVE METALLIC FINISH.

### **RECOMMENDED USE:**

- IT'S SUITABLE FOR METAL AND VEHICLE SURFACES WHICH ARE PAINTED USING COMPUTER TINTING SYSTEM.



# ***AUTOMIX ACRYLIC***

## **AUTOMIX (ACRYLIC COAT)**

-IT IS A TWO-COMPONENT ACRYLIC PAINT FOR CARS AND INDUSTRIAL PURPOSES. IT IS COMPOSED OF SPECIAL TYPE OF ACRYLIC RESIN TO OBTAIN READY-MIXED COLORS,GOOD HARDNESS AND GLOSS.



## **RECOMMENDED USE:**

- IT IS SUITABLE FOR METAL AND VEHICLE SURFACES WHICH ARE PAINTED MANUALLY.

# ***AUTOMIX (BASECOAT)***

## **AUTOMIX (BASECOAT)**

-IT IS A GOOD QUALITY PAINT, ESPECIALLY FORMULATED TO GIVE READY MIXED COLORS FOR VEHICLES, AND EQUIPMENTS. IT PROVIDES GOOD WEATHERING AND SCRATCHING RESISTANCE AS WELL AS COLOR RETENTION AND ATTRACTIVE METALLIC FINISH.



## **RECOMMENDED USE:**

- IT'S SUITABLE FOR METAL AND VEHICLE SURFACES WHICH ARE PAINTED MANUALLY.

# ***POLYMIX ACRYLIC***

## **POLYMIX (ACRYLIC COAT)**

-IT IS A 2K COST EFFECTIVE ACRYLIC PAINT FOR CARS AND INDUSTRIAL PURPOSES. IT IS COMPOSED OF SPECIAL TYPE OF ACRYLIC RESIN TO OBTAIN GOOD HARDNESS AND GLOSS.

### **RECOMMENDED USE:**

-IT IS SUITABLE FOR METAL AND VEHICLE SURFACES.



# ***POLYMIX (BASECOAT)***

## **POLYMIX B (BASECOAT)**

-IT IS A COST EFFECTIVE PAINT, ESPECIALLY FORMULATED TO REPAINT PRIVATE CARS, VEHICLES, AND EQUIPMENTS. IT PROVIDES GOOD WEATHERING AND SCRATCHING RESISTANCE AS WELL AS COLOR RETENTION AND ATTRACTIVE METALLIC FINISH.



### **RECOMMENDED USE:**

- IT'S SUITABLE FOR METAL AND VEHICLE SURFACES WHICH ARE PAINTED MANUALLY.

# NITROCELLULOSE PAINT

## JET NC PAINT (DUCO)

-IS THE IDEAL PRODUCT FOR HIGH GLOSS AS IT IS BASED ON ALKYD RESINS IN ITS COMPOSITION, AND CONTAINS HIGH-QUALITY NITROCELLULOSE AND SPECIAL INGREDIENTS TO OBTAIN HIGH GLOSS WITH GREATER RESISTANCE TO CORROSION AND WEATHERING. IT IS USED IN METAL PAINTS, WOOD SURFACES, AND FURNITURE.

### FEATURES:

- EXCELLENT GLOSS.
- EXCELLENT COVERAGE.
- QUICK DRY.
- HIGH HARDNESS.
- COLORS.





# AUTOREFINISH THINNERS

# THINNERS

## 2K THINNER

- MIDOMIX THINNERS ARE FORMULATED FROM A PACK OF HIGH-QUALITY SOLVENTS. IT DESIGNED SPECIFICALLY FOR ACRYLIC PAINTS AND CLEAR COAT VARNISH TO GIVE THE BEST PERFORMANCE.



| THINNER TYPE | DESCRIPTION                             |
|--------------|-----------------------------------------|
| A1           | FAST, MEDIUM, SLOW AND EXTRA SLOW       |
| 710          | FAST, MEDIUM AND SLOW BASE COAT THINNER |

## ***THINNERS***

| PRODUCTS CATEGORY      | A1       | 710        |
|------------------------|----------|------------|
| PRIMERS / 2 K FILLERS  | SUITABLE | SUITABLE   |
| BASE COAT              | SUITABLE | SUITABLE   |
| PIGMENTED DIRECT GLOSS | SUITABLE | UNSUITABLE |
| CLEAR COAT             | SUITABLE | UNSUITABLE |

# ***HARDENERS***

## **2K HARDENERS**

MIDO PROVIDES RANGE OF HARDENERS WHICH ARE FORMULATED FROM HIGH RESIN, ESPECIALLY FOR ACRYLIC PAINTS AND CLEAR COAT VARNISH TO GIVE THE BEST PERFORMANCE.

| HARDENER | A1                                |
|----------|-----------------------------------|
| A1       | FAST, MEDIUM, SLOW AND EXTRA SLOW |
| HS       | HARDENER 9035                     |
| MS       | HARDENER 8025                     |



# AUXILIARIES

## MIDO CLEANSER

- SPECIAL SOLVENT ADDITIVES USED TO CLEAN, DEGREASE, REMOVE DIRT RESIDUES & OTHER CONTAMINATIONS ON BARE METAL SURFACE AND TO CLEAN USED TOOLS.



## ANTI-SILICONE

- FISH-EYE ELIMINATOR.
- MIXED WITH CLEARCOAT.
- FOR SPOT REPAIRS.



# AUXILIARIES


## MIDO DEGREASER

- MIDO DEGREASER IS ESPECIALLY DESIGNED FOR USE IN THE PREPARATION PROCESS TO REMOVE DIRT, GREASE AND OTHER CONTAMINANTS FROM SURFACES.



## ADFLEX

- MEDIUM SOLID.
- LOW VISCOSITY.
- NO DILUTION IS REQUIRED.
- FOR SPOT, PANEL AND OVERALL REPAIR.
- EASY TO SPRAY AND APPLY.



# ***AUXILIARIES***

## **PLASTO PRIMER**

- ADHESION PROMOTER.
- FOR PLASTIC PARTS.



# **AUTOREFINISH**

## **CLEARCOAT**



# ***HS 2K CLEAR COAT***

## **2K CLEAR COAT 9030**

- HIGH SOLID.
- EXCELLENT GLOSS.
- WEATHERING RESISTANCE.
- EXCELLENT DURABILITY.

## **2K CLEAR COAT ANTI-SCRATCH**

- QUICK AND EASY FILLING FOR THE SURFACE MICROS SCRATCHES.
- DEVELOPED TO DELIVER EXCEPTIONAL GLOSS LEVEL.
- HIGH LEVEL OF DURABILITY.
- NO NEED FOR POLISH.



## ***MS 2K CLEAR COAT***

### **MIX 2K CLEARCOAT**

- LOW SOLID.
- LOW VISCOSITY.
- NO DILUTION IS REQUIRED.
- OFFERS GOOD AND DURABLE FINISH.



## ***MATT 2K CLEAR COAT***

### **2K CLEAR COAT MATT MS**

- HIGH VISCOSITY.
- MATT EFFECT
- ENHANCE BASECOAT COLOR.
- EXCELLENT PROTECTION.

# ***MS 2K CLEAR COAT***

## **2K CLEAR COAT 9000**

- MEDIUM SOLID.
- HIGH VISCOSITY.
- GIVES HIGH GLOSS.
- GOOD DURABILITY.
- WEATHERING RESISTANCE.

## **2K CLEAR COAT 8100**

- MEDIUM SOLID.
- HIGH VISCOSITY.
- HIGH GLOSS.
- GOOD DURABILITY.
- WEATHERING RESISTANCE.



# ***HS 2K CLEAR COAT***

## **2K CLEAR COAT 4:1**

- LOW SOLVENTS EMISSIONS.
- NO DILUTION.

ENHANCE FLEXIBILITY OVER PLASTIC PARTS.



***AUTOMOTIVE  
CAR CARE  
POLISHES***



# AUTOMOTIVE CAR CARE

## PASTE RUBBING COMPOUND

### HIGH CUTTING

RED BRIX

STAR MAX

GEM WHITE FAST CUT

M1

### MEDIUM CUTTING

WHITE BRIX

GEM RUBBING COMPOUND

BS

ALPHA

GAM A39

NEW COMPOUND

## LIQUID RUBBING COMPOUND

### HIGH CUTTING

POLYMIX 074

### MEDIUM CUTTING

POLYMIX 075

## PASTE FINISHING POLISH

POLISH CREAM

TOP SHINE

GEM COLOR CREAM

BRIX POLISH CREAM

## LIQUID FINISHING POLISH

GEM COLOR  
AUTOMOTIVE

CAR WAX

GEM SHINE

POLYMIX 077



# AUTOMOTIVE CAR CARE

## RUBBING COMPOUND

- REMOVE OF ALL PROBLEMS FROM THE SURFACE SUCH AS HEAVY SCRATCHES , DUST NIBS , OVER SPRAY AND GIVE A FLAT LEVELED SURFACE.



## FINISHING POLISH

- ADD A WAXY LAYER ON THE SURFACE OF THE CAR TO ADJUST REFLECTION OF LIGHT TO SEE MORE GLOSS AND PROTECTION OF THE SURFACE.



# POLYMIX (SILICON FREE)

## STEP 1

**POLYMIX 074**



**HIGH CUTTING  
COMPOUND**

## STEP 2

**POLYMIX 075**



**MEDIUM CUTTING  
COMPOUND**

## STEP 3

**POLYMIX 077**



**FINISHING POLISH**

# ***AUTOMOTIVE CAR CARE***

## **PASTE SYSTEM**

IT CONTAIN COLOR ENHANCERS  
BLENDS AND BONDS TO MATCH  
YOUR CARS COLOR.



## **LIQUID SYSTEM**

IT MAKE COLOR ENHANCEMENT OF  
THE SURFACE , IT BLEND AND BONDS  
TO MATCH YOUR CAR COLOR.



# ***AUTOMOTIVE CAR CARE***

## **NEW COMPOUND**

A SPECIAL EXCELLENT FORMULA FOR REMOVING A WIDE RANGE OF PAINT WORK DEFECTS (DUST NIBS, OVER SPRAY, PAINT RUNS, ORANGE PEEL AND SMALL SCRATCHES). AND REMOVING ALSO THE ABRASIVE MARKS LEFT BY FINE ABRASIVE PAPERS AND PRODUCES A SMEAR FREE HIGH GLOSS FINISH.



## **POLISH CREAM**

- POLISH CREAM IS A SPECIAL BLEND OF WAXES AND SILICONES WHICH SHINES ALL CAR FINISHES TO LOOK LIKE NEW.
- PROVIDES A PROTECTIVE WAXY LAYER WITH HIGH GLOSS AND SHINE.
- CAN BE APPLIED EASILY.



# ***AUTOMOTIVE CAR CARE***

## **A39**

A SPECIAL EXCELLENT FORMULA FOR REMOVING A WIDE RANGE OF PAINT WORK DEFECTS (DUST NIBS, OVER SPRAY, PAINT RUNS, ORANGE PEEL AND SMALL SCRATCHES). AND REMOVING ALSO THE ABRASIVE MARKS LEFT BY FINE ABRASIVE PAPERS AND PRODUCES A SMEAR FREE HIGH GLOSS FINISH.



## **GEM COMPOUND**

A SPECIAL EXCELLENT FORMULA FOR REMOVING A WIDE RANGE OF PAINT WORK DEFECTS (DUST NIBS, OVER SPRAY, PAINT RUNS, ORANGE PEEL AND SMALL SCRATCHES). AND REMOVING ALSO THE ABRASIVE MARKS LEFT BY FINE ABRASIVE PAPERS AND PRODUCES A SMEAR FREE HIGH GLOSS FINISH.



# INNOVATION


## NANO COMPOUND

- FAST CUTTING ADAPTIVE ABRASIVE TECHNOLOGY THAT ACCELERATES AND ENHANCES PERFORMANCE.
- REMOVING 1500-200 GRIT SCRATCHES AS WELL AS HEAVY OXIDATION AND SWIRL MARKS.
- SAFE TO USE ON ALL PAINT FINISHES



## NANO POLISH

- HIGH GLAZE POLISH.
- CONTAINS A MULTI SURFACE LEVELING AGENT.
- PRODUCES A SMOOTH FLAWLESS FINISH.
- REMOVING MEDIUM TO LIGHT SCRATCHES OXIDATION AND SWIRL MARKS.



# INNOVATION

## HEAD LIGHT POLISH

- RESTORE CLARITY.
- IMPROVE VISIBILITY.
- REMOVE HAZE.
- PREVENT RESTAINING.
- PROTECT FROM SUN



## CAR WASH & WAX

### 2X1 WASH & GLOSS IN ONE STEP

- CAR WASH AND WAX CLEAN AND GIVE GLOSS AND PROTECTION FOR THE CAR IN ONE STEP.



## DASH CLEANER POLISH

- RENEW AND SHINE OF VINYL LEATHER RUBBER AND PLASTIC.
- PROTECT AGAINST SUN DAMAGES.
- LEAVES NO RESIDUES & OILS ON SURFACE.



## TIRE POLISH

- RESTORE SHINING.
- PREVENT RESTAINING.
- PROTECT FROM DIRT.
- SUITABLE FOR ALL TYPE OF TIRE.



# INDUSTRIAL PRODUCTS

## FAST WAX

- RECOMENDED FOR POLISHING ANY MARBLE AND GRANITE SURFACES.IT CREATS A VERY THIN TRANSPARENT AND GLOSSY PELLICLE WHICH SHOWS THE NATURAL BEAUTY OF MARBLE AS WELL AS ENHANCING SURFACE PROTECTION.



## CARE RELEASE WAX&FLOOR

- A BLEND OF HIGH MELTING POINT WAXES FORMULATED FOR THE CULTURED MARBLE INDUSTRY USE IN DEMOLDING FIBERGLASS MOLDS.







# **WOOD COATINGS**

# WOOD COATINGS

## TRANSPARENT SYSTEM



## PIGMENTED SYSTEM



## PAINT

PU PAINT

# ***FINISHING WOOD THEORY***

- PROTECTING A WOOD SURFACE FOR EXAMPLE FROM BACTERIA AND MOISTURE.
- FINISHING CAN ALSO MAKE WOOD EASIER TO CLEAN AND KEEP IT SANITIZED.
- FINISHING MADE SMOOTH TOUCH AND BEAUTY TOUCH ON THE WOOD.



# STAIN

## SOFA STAIN

- HIGH QUALITY STAIN.
- EFFECTIVE IN COLORING FURNITURE.
- EMPHASIZES THE NATURAL BEAUTY OF WOOD.
- DILUTED WITH WATER AND THINNER.



## VITO STAIN

- EFFECTIVE IN COLORING FURNITURE.
- EMPHASIZES THE NATURAL BEAUTY OF WOOD.
- DILUTED WITH THINNER.



# INSULATOR

## **SOFA INSULATOR**

- IT IS ESPECIALLY DESIGNED TO INSULATE OILS EXCRETED BY THE WOOD PORES.
- RECOMMENDED USES :  
SEPECIALLY FORMULATED TO INSULATE WOOD WHICH IS KNOWN TO EXCRETE DIFFERENT TYPES OF OILS.
- COVERAGE RATE :  
9-12 M<sup>2</sup>/KG DEPENDING ON THE SURFACE AND FIL THICKNESS.



# WOOD SEALER

## **SEALER VNIWOOD**

- HIGH BUILD MATERIAL.
- FILL PORES IN WOOD SURFACE.
- HIGH VISCOCITY.
- HIGH SOILD CONTENT.



## **MODERN TOUCH SEALER**

- HIGH BUILD MATERIAL.
- FILL PORES IN WOOD SURFACE.
- SUPERIOR EASY SANDING.



## **NOVA SEALER**

- HIGH BUILD MATERIAL.
- FILL PORES IN WOOD SURFACE.
- SUPERIOR ADHESION WITH OUT ANY EFFECT ON THE WOOD COLOR



# WOOD SEALER

## SOFA SEALER

- HIGH BUILD MATERIAL.
- FILL PORES IN WOOD SURFACE.
- SUPERIOR ADHESION AND EASY SANDING.



## VITO SEALER

- HIGH BUILD MATERIAL.
- FILL PORES IN WOOD SURFACE.
- HIGH VISCOCITY.



# ***POLYESTER SEALER***


## ***CLEAR PE SEALER***

- HIGH-BUILD CLEAR MATERIAL.
- PRODUCES A SMOOTH, HARD, SEAL COAT.
- GIVES MAXIMUM FILLING, EASY SANDING AND SUPERIOR ADHESION.



## ***WHITE PE SEALER***

- HIGH-BUILD WHITE MATERIAL FORMULATED FROM POLYESTER.
- PRODUCES A SMOOTH, HARD, SEAL COAT WITHOUT ANY INFLUENCE ON NATURAL WOOD GRAIN.
- MAXIMUM FILLING, EASY SANDING AND SUPERIOR ADHESION.



# ***POLYURETHANE SEALER***

## ***JET P.U SEALER***


- HIGH BUILD CLEAR MATERIAL.
- FILL PORES IN WOOD SURFACE.
- SCRUBBING AND MARINE RESISTANCE.
- SUPERIOR ADHESION WITH OUT ANY EFFECT ON THE WOOD COLOR.



# NITROCELLULOSE PAINT

## ***JET NITROCELLULOSE PAINT***

- SUPERIOR GLOSS.
- SUPERIOR DURABILITY.
- WEATHERING RESISTANCE.



## ***MIDO DUCO***

- GOOD GLOSS.
- GOOD DURABILITY.
- WEATHERING RESISTANCE.



# WOOD VARNISH

## ACRYLIC ANTI-YELLOWING VARNISH *INTERIOR/EXTERIOR*

- DEVELOPED FOR INTERIOR AND EXTERIOR
- WOODERN SURFACES.
- GOOD WEATHER RESISTANCE.
- GOOD SCRATCH RESISTANCE.
- EASY TO APPLY.
- EXCELLENT GLOSS FINISH.



## JET POLYURETHANE VARNISH

- GOOD HARDNESS WITH FLEXIBILITY.
- RESISTANCE TO SCRUBBING.
- STABILITY OF GLOSS FOR ALONG TIME.
- MAXIMUM PERFORMANCE.

**GLOSS DEGREES** - (0%, 10%, 20%, 30%, 45%)

**GLOSS / SEMI-GLOSS / MATT**



# WOOD VARNISH

## **MIDO VNIWOOD VARNISH**

- HIGH QUALITY NITROCELLULOSE.
- HIGH TRANSPARANCE.
- EXCELLENT GLOSS.
- GLOSS - MATT.

## **FAST DRY VARNISH**

- HIGH QUALITY N.C VARNISH.
- FAST DRY VARNISH.
- ATTRACTIVE GLOSS COAT.

## **SOFA LACQUER VARNISH**

- HIGH QUALITY N.C VARNISH.
- SMOOTH TOUCH.
- EXCELLENT GLOSS.



# WOOD VARNISH

## **SOFT TOUCH VARNISH**

- HIGH QUALITY SEMI-GLOSS.
- SMOOTH TOUCH.
- HIGH RESISTANCE TO FRICTION.
- ATTRACTIVE SEMI-GLOSS FINISH.

**GLOSS DEGREES** - (35%, 45%)



## **SOFT MATT VARNISH**

- HIGH QUALITY MATT VARNISH.
- SMOOTH TOUCH.
- HIGH RESISTANCE TO FRICTION.
- ATTRACTIVE MATT FINISH.



# SYNTHETIC VARNISH

## **ELSHAGRAH**

- CLEAR GLOSS VARNISH.
- WEATHER RESISTANCE .
- SCRATCH RESISTANCE.
- DURABLE FINISH.



## **LUX VARNISH**

- CLEAR GLOSS VARNISH.
- SCRATCH RESISTANCE.
- DURABLE AND HIGH GLOSS FINISH.



## **URETHANE MATT**

- CLEAR MATT VARNISH.
- WEATHER RESISTANCE .
- SCRATCH RESISTANCE.
- DURABLE FINISH.



# NITROCELLULOSE FILLER

## **PREMIUM**


### **1K FAST FILLER**

- PIGMENTED NITROCELLULOSE FILLER.
- HIGH COVERING PROPERTY.
- USED FOR ALL TYPE OF WOODEN SURFACES.
- GOOD SANDING ABILITY AND GOOD ELASTICITY.



### **JET FILLER**

- PIGMENTED N.C FILLER.
- EASY TO SAND.
- GOOD ELASTICITY.
- HIGH COVERING PROPERTY.



# NITROCELLULOSE SURFACER

## **PREMIUM**

### **NEW JET SURFACER**

- PIGMENTED NITROCELLULOSE SURFACE.
- HIGH COVERING PROPERTY.
- GOOD SANDING ABILITY AND GOOD ELASTICITY.



### **JET SURFACER**

- PIGMENTED NITROCELLULOSE SURFACER.
- EASY SANDING.
- HIGH COVERING PROPERTY.



# ***NITROCELLULOSE SURFACER***

## ***TMA SURFACER***

- N.C SURFACER.
- GOOD ELASTICITY.
- EASY SANDING.
- HIGH COVERING PROPERTY.



## ***EXTRA JET SURFACER***

- PIGMENTED N.C SURFACER.
- GOOD SANDING ABILITY.
- GOOD ELASTICITY.



# ***DECORATIVE PAINTS***



## ***WATER BASED***

### **DOMAIN**

- DOMAIN IS A HIGH-QUALITY UNIVERSAL COLORANT IN A SPECIAL FORMULA OF DIFFERENT COLORANTS. THEY CAN BE USED TO TINT OR SHADE WATER-BASED AND OIL-BASED PAINTS. WITH ADDED SOLVENT, THEY DISSOLVE IN PAINTS TO GIVE STABLE COLORS ON WALLS. THEY ARE MANUFACTURED, BASED ON THE UNIVERSAL COLORANTS SYSTEM..
- FINISH: STABLE COLORS
- COLOR: 17 COLORS, ACCORDING TO MIDO COLOR SHADES CARD
- PRODUCTS: TALWEENA – DOMAIN



## ***WATER BASED***

### ***BRILLIANCE***

- A HIGHLY INNOVATIVE PEARLESCENT PRODUCT THAT PROVIDES PEARL COLORS. IT CAN ENRICH THE APPEARANCE OF TEXTURE EFFECT AND ADD A TOUCH OF BEAUTY TO YOUR WALL BY USING VARIOUS TYPES OF PEARL COLOR.
- FINISH PEARLESCENT EFFECT  
COLOR SILVER, LIGHT GOLD, YELLOW GOLD, COPPER, BRONZE, MAROON



# SOLVENT BASED

## ***RICH***

- RICH IS SYNTHETIC ENAMEL FOR EXTERIOR AND INTERIOR USES BASED ON MODIFIED NON-YELLOWING ALKYD RESIN

### ***FEATURES:***

- HIGH GLOSS BRIGHT WHITE.
- GOOD HIDING POWER NON-YELLOWING.
- GOOD GLOSS RETENTION.
- HIGH DURABILITY.

**AVAILABLE IN SEVERAL COLORS ACCORDING TO MIDO COLOR SHADE**



## ***SOLVENT BASED***

### ***NOVA 500***

- NOVA 500 IS SYNTHETIC TOUGH AND DURABLE SUITABLE FOR USE ON INTERIOR SURFACES. IT GIVES HIGH COVERAGE AND A SMOOTH SURFACE.

#### ***FEATURES:***

- HIGH GLOSSY FINISH WITH GOOD GLOSS RETENTION.
- GOOD GLOSS RETENTION.
- BRIGHT WHITENESS.
- HIGH COVERAGE.

***AVAILABLE IN SEVERAL COLORS ACCORDING TO MIDO COLOR SHADE***



## ***SOLVENT BASED***

### ***NEW SAMBO***

- IS A HIGH QUALITY PRIMER FOR GENERAL USE ON STEEL  
IT CONTAINS ANTI-CORROSIVE PIGMENTS , SUITABLE  
FOR PROTECTING STEEL FROM CORROSION AND WEATHER  
CONDITIONS.

#### ***FEATURES:***

- PERFECT ADHESION.
- HIGH SANDABILITY.
- MAXIMUM SURFACE PROTECTION.



# ***NITROCELLULOSE PAINT***

## ***CRACKLE***

- CRACKLE EFFECT.
- GOOD DURABILITY .





# **ADHESIVES**

# MARBLE PUTTY

## MARMO PUTTY

-IT'S A TWO COMPONENT UNSATURATED POLYESTER PUTTY AND ITS HARDENER FOR CURING. IT IS SUITABLE TO ADHERE ALL TYPES OF MARBLE, STONE AND GRANITE, ESPECIALLY DEVELOPED FOR VERTICAL JOBS, ONES HARDENED IT TAKES ON THE CHARACTERISTICS OF MARBLE.



# MARBLE GLUE

## **FAST**

- TRANSPARENT UN SATURATED POLYESTER GLUE CAN BE COLORED.
- IT IS USED TO REPAIR ALL TYPES OF MARBLE AND GRANITE.
- HIGH ADHESION STRENGTH,



## **QUICK PLUS**

- HIGH ADHESION STRENGTH, EXCELLENT TRANSPARENCY, AND RESISTANCE TO YELLOWING.
- IT IS USED TO REPAIR ALL TYPES OF MARBLE AND GRANITE.





Headquarter and factory:  
New Borg El - Arab City, 2nd  
Industrial Zone, Alex., Egypt.

Tel: (+203) 4625042/3

[info@midocoatings.com](mailto:info@midocoatings.com)

[www.midocoatings.com](http://www.midocoatings.com)